woodworkers **window hardware**

window hardware

friction stays

☐ 329S (pictured) 300mm with restrictor - 30kg

stainless casement or awning friction stay



☐ 387S 203mm - 12kgs
☐ 388S 414mm - 30kgs
☐ 389S 503mm awning only - 24kgs
☐ 390S 602mm awning only - 35kgs

HEAVY DUTY

☐ 391S 263mm - 34kgs
☐ 392S 414mm - 63kgs
☐ 393S 567mm - 74kgs
☐ 394S 683mm - 90kgs
awning only


how to install a casement sash video

whitco friction stays pair



395Z 200mm - 10kgs
396Z 300mm - 11.8kgs

casement + shutter restraints



■ 330B cable restrictor

☐ 330W cable restrictor

☐ 360S interlock safety restraint

■ 334G shutter "s" bracket to suit weatherboard

☐ 304S casement bar stay 300mm

■ 304G casement bar stay 300mm

■ 304B casement bar stay 300mm

■ 304AC casement bar stay 300mm

☐ 305S drop down telescopic stay (pictured)

☐ 306S screw down telescopic stay


■ 305B black drop down telescopic stay available

■ 305G drop down telescopic stay (pictured)

■ 306G screw down telescopic stay

■ 305AC drop down telescopic stay

■ 306AC screw down telescopic stay (pictured)



☐ 324S quad stay

■ 324G quad stay

■ 324B quad stay

■ 324AC quad stay

fanlight hardware



☐ 312S fanlight catch

■ 312G fanlight catch

■ 312B fanlight catch

☐ 327S map rod while stocks last

■ 327B map rod while stocks last

■ 327G map rod

☐ 341S hook hinge galvanised

☐ 313S fanlight cleat 75mm

■ 313G fanlight cleat 75mm

■ 313B fanlight cleat 75mm

■ 314G fanlight pivot

☐ 314S fanlight pivot

■ 314B fanlight pivot

locking chain winders

Whitco



☒ 307BRW locking chain winder



■ 307B locking chain winder



☐ 307W locking chain winder

key lockable catches



☐ 316S locking casement lever universal

■ 316G locking casement lever universal

■ 316B locking casement lever universal

☐ 316W locking casement lever universal

locking casement lever on side stile


locking casement lever on bottom rail

■ 326AC left hand

locking teardrop casement fastener

■ 325AC right hand

non - keyed catches



☐ 301S teardrop casement fastener

■ 301G teardrop casement fastener

■ 301B teardrop casement fastener

■ 301AC teardrop casement fastener

☐ 302S square end casement fastener

■ 302G square end casement fastener

■ 302B square end casement fastener

■ 332B monkey tail casement fastener

casement fastener

■ 311G

☐ 311S

■ 311B

■ 311AC

cockspurs



☐ 303S window spur catch

■ 303G window spur catch

■ 303B window spur catch

■ 303AC window spur catch

☐ 335S window spur catch contemporary

handles



☐ 321S offset D pull handle

■ 321G offset D pull handle

☐ 321W offset D pull handle

■ 321B offset D pull handle

push locks



☐ 320S push lock

■ 320B push lock

Whitco

☐ 320W push lock

refer to item code in current hardware pricelist for costings

window kits

fitch locks



- 322S keyed fitch lock
- 308S non keyed fitch fastener
- 322G keyed fitch lock
- 308G non keyed fitch fastener
- 308AC non keyed fitch fastener
- 322B keyed fitch lock
- 322W keyed fitch lock

our fitch fasteners have extended plates specific for timber double hung windows.

sash locks + holds



- 328S locking multi bolt
- 328G locking multi bolt
- 328B locking multi bolt
- 328W locking multi bolt
- 310S sash drop
- 310G sash drop
- 310AC sash drop
- 310B sash drop
- 333G sash screw

Whitco

lifts



- 323S traditional sash lift
- 323G traditional sash lift
- 323B traditional sash lift
- 323W traditional sash lift
- 323AC traditional sash lift
- 309S contemporary sash lift
- 309B contemporary sash lift
- 309W contemporary sash lift

sliding window hardware



- 315S window flush pull 100 x 30mm
- 315G window flush pull 100 x 30mm
- 315W window flush pull 100 x 30mm
- 315B window flush pull 100 x 30mm
- 319S keyed window bolt
- 319G keyed window bolt
- 319W keyed window bolt
- 319B keyed window bolt

gas struts




Factory installed gas struts
For sizes up to 2.88m²
(max height 1500mm)
all other sizes POA

- 386S gas struts stainless steel
- 386B gas struts black

CASEMENT WINDOW KIT

CASEMENT & MULTIFOLD KITS



CASEMENT BOLT KIT
30. Keyed window bolt
31. Offset D-Handle

OR

CASEMENT & MULTIFOLD LEVER KIT
35. Keyed window lever - handed

CASEMENT WINDOW KIT - SILVER



- 4090S



- 316S (pictured) universal

CASEMENT WINDOW KIT - GOLD



- 4090G



- 316G (pictured) universal

CASEMENT WINDOW KIT - BLACK



- 4090B



- 316B (pictured) universal

CASEMENT WINDOW KIT - WHITE



- 4090W



- 316W (pictured) universal

DOUBLE HUNG WINDOW KIT

DOUBLE HUNG WINDOW KIT



33. D/H keyed window lock
34. Sash lift x 2

DOUBLE HUNG WINDOW KIT - SILVER



- 4092S

DOUBLE HUNG WINDOW KIT - GOLD



- 4092G

DOUBLE HUNG WINDOW KIT - BLACK



- 4092B

DOUBLE HUNG WINDOW KIT - WHITE



- 4092W

HOPPER WINDOW KIT

HOPPER WINDOW KIT



35. Keyed window lever - handed

HOPPER WINDOW KIT - SILVER



- 316S (pictured) universal

HOPPER WINDOW KIT - GOLD



- 316G (pictured) universal

HOPPER WINDOW KIT - BLACK



- 316B (pictured) universal


HOPPER WINDOW KIT - WHITE



- 316W (pictured) universal

SLIDING WINDOW KIT

SLIDING WINDOW KIT



SLIDING BOLT KIT
30. Keyed window bolt
36. Window flush pull

SLIDING WINDOW KIT - SILVER



- 4093S

SLIDING WINDOW KIT - GOLD



- 4093G

SLIDING WINDOW KIT - BLACK



- 4093B

SLIDING WINDOW KIT - WHITE



- 4093W

refer to item code in current hardware pricelist for costings

woodworkers **louvre galleries + accessories**

louvre galleries

■ 372B 152mm louvre galleries black

■ 376B security bar option black

□ 374W white weather strip

■ 373B
□ 373W
lockable handle option for 102 and 152mm louvre galleries
(side mullion required)

■ 374B weather strip black

■ 371B □ 371W
102mm adjustable louvre galleries

number of blades	gallery height	handle quantity
3	292mm	1
4	381mm	1
5	470mm	1
6	559mm	1
7	648mm	1
8	737mm	2
9	826mm	2
10	914mm	2
11	1003mm	2
12	1092mm	2
13	1181mm	2
14	1270mm	2
15	1359mm	3
16	1448mm	3
17	1537mm	3
18	1626mm	3
19	1715mm	3
20	1803mm	3
21	1892mm	3
22	1981mm	4
23	2070mm	4
24	2159mm	4
25	2248mm	4
26	2337mm	4
27	2426mm	4
28	2515mm	4
29	2604mm	5
30	2693mm	5

add 6mm to heights for weatherstrip

■ 372B □ 372W
152mm adjustable louvre galleries

number of blades	gallery height	handle quantity
2	305mm	1
3	445mm	1
4	584mm	1
5	724mm	1
6	864mm	1
7	1003mm	2
8	1143mm	2
9	1283mm	2
10	1422mm	2
11	1562mm	2
12	1702mm	2
13	1842mm	3
14	1981mm	3
15	2121mm	3
16	2261mm	3
17	2401mm	3
18	2540mm	3
19	2680mm	4
20	2820mm	4

add 6mm to heights for weatherstrip

□ 372W white 152mm louvre galleries

NOTES

- All controls are on the left hand gallery as standard. Right hand controls available to order.
- Maximum 7 blades per control on 102mm galleries and 6 blades on 152mm galleries.
- Key locking option available at additional cost.
- Glass louvre galleries take 152 x 6mm or 102 x 6mm polished edge glass blades.
- Timber louvre galleries are available that accept 102 x 13.5mm or 152 x 13.5mm profile timber blades.
- Standard colours are black, pearl white + silver anodised.

spirals + pulleys

spiral balances are only available in black tube.

removing & refitting spiral balances video

Whitco

spiral number	body length
361 - 20	320mm
361 - 22	345mm
361 - 26	395mm
361 - 28	420mm
361 - 30	470mm
361 - 32	495mm
361 - 34	525mm
361 - 36	550mm
361 - 38	575mm
361 - 310	600mm
361 - 40	625mm
361 - 42	650mm
361 - 44	675mm
361 - 46	700mm

spiral number	body length
361 - 48	725mm
361 - 410	750mm
361 - 50	775mm
361 - 52	800mm
361 - 54	830mm
361 - 56	855mm
361 - 58	880mm
361 - 510	905mm
361 - 60	930mm
361 - 62	955mm
361 - 64	980mm
361 - 68	1030mm
361 - 70	1085mm
361 - 72	1110mm

Heavy duty Schlegel spiral balances are also available in white and black which are custom made for specific weights. They are POA and have extended lead times

□ 336G sash pulley

342 sash weight 1kg, 8.5kg & 12.5kg

338 sash pulley cord

□ 339G sash pulley chain

□ 340G ball bearing sash pulley

□ 337S counter weighted double pulley

glazing accessories

351 glass manifestation adhesive tape

358 glazing silicone for timber neutral cure 300g



other stuff



□ 344S window hood privacy screen strut
stainless steel 425mm



359 door lifter
allows hands free adjustment of door height when fitting hinges

pet doors

DOG DOORS FOR INSTALLATION IN SOLID DOORS



two way locking magnetic close

☒ 345W **small**
flap size
170(W) x 240mm(H)

☒ 346W **medium**
flap size
225(W) x 290mm(H)

☒ 347W **large**
flap size
295(W) x 425mm(H)



☒ 346B **medium**
flap size
225(W) x 290mm(H)

☒ 347 **large**
flap size
295(W) x 425mm(H)

PET DOOR FOR INSTALLATION IN GLASS


clear polycarbonate with weatherseal and 4 way locking system.



cat door
348
overall size 290mm
flap size
190(W) x 190mm(H)
also suitable for small dogs up to 9kg

dog door
349
overall size 435mm
flap size
290(W) x 290mm(H)
semi large dogs (golden retriever) up to 18kg

vents



□ 350S
RETURN AIR VENT
aluminium 620(W) x 220mm(H)
cutout size: 595(W) x 195mm(H)
available in clear anodized and 16 powder coat colours
(quantity restrictions apply)

refer to item code in current hardware pricelist for costings